



## Safety Data Sheet

These products are exempt from the requirements of Article 57 and 59 (1) of REACH Regulation (EC) No 1907 / 2006. The information below follows the SDS format as described in Annex 2 of the Regulation.

## Identification of Products and Company

1.1 Product identifier

Product name:

Kingspan AIR-CELL Range

Synonyms:

Kingspan AIR-CELL Glareshield<sup>®</sup> Kingspan AIR-CELL Retroshield<sup>®</sup>

1.2 Details of the supplier of the product

Supplier name: Kingspan Insulation Pty Ltd. Address: 25 Oherns Road, Somerton,

VIC, 3062, Australia.

**Telephone:** 1300 247 235 **Fax:** 1300 247 329

Email:technical.au@kingspan.comWebsite:www.kingspaninsulation.com.au

1.3 Emergency telephone numbers

**Emergency:** 1300 247 235

2. Hazard Identification

Not applicable.

3. Composition

Flexible physically cross-linked, closed-cell polyethylene bubble insulation core with composite aluminium foil facings.

4. First Aid Measures

**Eye** Dust particles should be removed by

flushing with clean water.

**Inhalation** Dust is non-hazardous.

Remove the person to fresh air.

Skin Non-sensitising.

**Ingestion** For advice, contact a Poison Information

Centre on 13 11 26 (Australia Wide) or a

doctor (at once).

Due to product form and application, ingestion is considered unlikely.

Other Seek medical attention if discomfort

persists.

5. Fire Fighting Measures

It is prudent to take precautions against ignition, fire spread and smoke hazard:

5.1 Suitable media

Waterspray (fog), Foam, CO<sub>2</sub> or Dry Chemical.

5.2 Un-suitable media

Not applicable.

Fire fighters should use self contained breathing apparatus and saturate burning foam with water from

a spray nozzle.

6. Accidental Release Measures

Not applicable.

7. Handling and Storage

 Store in original packing in a location free from any ignition hazard such as open flames, cutting and welding torches, high surface temperature electric heaters and other forms of direct radiant heat

 Keep product protected from the elements. Ensure stability of stack and provide adequate aisle space for access between stacks.





#### 8. Exposure Controls / Personal Protection

**Eye** Eye protection is recommended during

mechanical cutting. (When installing a product with reflective foil facings in very bright or sunny weather, it is advisable to wear UV protective

sunglasses or goggles).

**Inhalation** Dust is non-hazardous.

As with all cutting procedures, it is recommended that a disposable dust mask be worn. (Where dust is generated through mechanical cutting in confined spaces, it is recommended that

extraction be used).

Skin Non-sensitising.

When installing a product with reflective facings in bright sunlight, it is advisable to consider skin protection from UV.

Other The products are non-load bearing.

Access and work should not be carried out on un-supported insulation.

The smooth aluminium facing used on

our AIR-CELL products can become slippery underfoot when wet.

## 9. Physical and Chemical Properties

Appearance Bubble insulator with aluminium

foil on both sides and orange

coating on one side.

Odourless.

**pH** Neutral under normal conditions

Flammability Combustible.

Solubility (water) Insoluble.

Other data None.

## 10. Stability and Reactivity

Stable and un-reactive during normal use (see section 7).

#### 10.1 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

#### 10.2 Materials to avoid

Incompatible with hydrofluoric acid (violently), oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid) and heat.

#### 10.3 Hazardous decomposition products

May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

## 11. Toxicological Information

No information available at this time.

#### 12. Ecological Information

The products are inert and stable in water and soil.

#### 13. Disposal Considerations

Waste insulation is non-hazardous.

Observe usual safety precautions with polythene bags, wrapping and packaging.

Waste product should be disposed of in accordance with local laws and regulations.

Clean, undamaged product may be re-used.

## 14. Transport Information

Read this section in conjunction with section 7.

Ensure security of load and where necessary sheeting/roping should be used. It is recommended that mechanical lifting equipment is used when moving bulk quantities.

## 15. Regulatory Information

Not applicable.

#### 16. Other Information

The information contained here is offered in good faith and is based on our current knowledge.

We thereby withhold the right to update and amend this document as necessary.

The information should not be taken as guarantee of specific performance and users should make their own assessment and make all applicable personnel aware accordingly.

The wearing of appropriate safety equipment is strongly recommended as a precaution and the product should only be used in its design application.

Users should visit the Kingspan Insulation website or contact the Kingspan Insulation Technical Services Department to ensure information is current.

# Contact Details

#### Australia

Kingspan Insulation Pty Ltd

T: 1300 247 235

E: info@kingspaninsulation.com.au www.kingspaninsulation.com.au



® Kingspan, AIR-CELL and the Lion Device are Registered Trademarks of the Kingspan Group plc in Australia and other countries. All rights reserved. © Kingspan Insulation Pty Ltd.

Kingspan Insulation Pty Ltd reserves the right to amend product specifications without prior notice.

The information, technical details and fixing instructions etc. included in this literature are given in good faith and apply to uses described. Recommendations for use should be verified as to the suitability and compliance with actual requirements, specifications and any applicable laws and regulations. For other applications or conditions of use, Kingspan Insulation offers a Technical Advisory Service the advice of which should be sought for uses of Kingspan Insulation products that are not specifically described herein. Please check that your copy of the literature is current by contacting us or visiting https://www.kingspan.com/au/en/products/insulation/

